




ACCESSORI




ACCESSORIES
ACCESSOIRES
ZUBEHÖRE
ACCESORIOS

AFON




Model	Ø mm	L. m
AFON-120-1	120	1
AFON-150-1	150	1
AFON-180-1	180	1
AFON-200-1	200	1
AFON-220-1	220	1
AFON-250-1	250	1
AFON-280-1	280	1
AFON-300-1	300	1
AFON-350-1	350	1
AFON-380-1	380	1
AFON-400-1	400	1

TU




Model	Ø mm	L. m
TU-100-1,5	100	1,5
TU-120-1,5	120	1,5
TU-150-1,5	150	1,5
TU-180-1,5	180	1,5
TU-200-1,5	200	1,5
TU-220-1,5	220	1,5
TU-250-1,5	250	1,5
TU-280-1,5	280	1,5
TU-300-1,5	300	1,5
TU-350-1,5	350	1,5
TU-380-1,5	380	1,5
TU-400-1,5	400	1,5

TU-USL




Model	Ø mm	L. m
TU-150-1,5USL	150	1,5
TU-180-1,5USL	180	1,5
TU-200-1,5USL	200	1,5
TU-220-1,5USL	220	1,5
TU-250-1,5USL	250	1,5
TU-280-1,5USL	280	1,5
TU-300-1,5USL	300	1,5
TU-350-1,5USL	350	1,5
TU-380-1,5USL	380	1,5
TU-400-1,5USL	400	1,5

CR-45°




Model	Ø mm	°C
CR-100-45	100	45
CR-120-45	120	45
CR-150-45	150	45
CR-180-45	180	45
CR-200-45	200	45
CR-220-45	220	45
CR-250-45	250	45
CR-280-45	280	45
CR-300-45	300	45
CR-350-45	350	45
CR-380-45	380	45
CR-400-45	400	45

CR-90°




Model	Ø mm	°C
CR-100-90	100	90
CR-120-90	120	90
CR-150-90	150	90
CR-180-90	180	90
CR-200-90	200	90
CR-220-90	220	90
CR-250-90	250	90
CR-280-90	280	90
CR-300-90	300	90
CR-350-90	350	90
CR-380-90	380	90
CR-400-90	400	90

CR-75°




Model	Ø mm	°C
CR-100-75	100	75
CR-120-75	120	75
CR-150-75	150	75
CR-180-75	180	75
CR-200-75	200	75
CR-220-75	220	75
CR-250-75	250	75
CR-280-75	280	75
CR-300-75	300	75
CR-350-75	350	75
CR-380-75	380	75
CR-400-75	400	75

DE-2




Model	Ø mm
DE-2-S100	100
DE-2-S120	120
DE-2-S150	150
DE-2-S180	180
DE-2-S200	200
DE-2-S220	220
DE-2-S250	250
DE-2-S280	280
DE-2-S300	300
DE-2-S320	320
DE-2-S350	350
DE-2-S380	380
DE-2-S400	400

DE-2 A




Model	Ø mm
DE-2-A100	100
DE-2-A120	120
DE-2-A150	150
DE-2-A180	180
DE-2-A200	200
DE-2-A220	220
DE-2-A250	250
DE-2-A280	280
DE-2-A300	300
DE-2-A320	320
DE-2-A350	350
DE-2-A380	380
DE-2-A400	400

SER



Model	Ø mm
SER-100-R	100
SER-120-R	120
SER-150-R	150
SER-180-R	180
SER-200-R	200
SER-220-R	220
SER-250-R	250
SER-280-R	280
SER-300-R	300
SER-320-R	320
SER-350-R	350
SER-380-R	380
SER-400-R	400

REGGIA




Model	L.
REGGIA	1 mt

ACCESSORIES




CO




Model	Ø mm
CO-100	100
CO-120	120
CO-150	150
CO-180	180
CO-200	200
CO-220	220
CO-250	250
CO-280	280
CO-300	300
CO-320	320
CO-350	350
CO-380	380
CO-400	400

CL




Model	Ø mm
CL-100	100
CL-120	120
CL-150	150
CL-180	180
CL-200	200
CL-220	220
CL-250	250
CL-280	280
CL-300	300
CL-320	320
CL-350	350
CL-380	380
CL-400	400

CP



Model	Ø mm
CP-100	100
CP-120	120
CP-150	150
CP-180	180
CP-200	200
CP-220	220
CP-250	250
CP-280	280
CP-300	300
CP-320	320
CP-350	350
CP-380	380
CP-400	400

TEG




Model	Ø mm
TEG-100	100
TEG-120	120
TEG-150	150
TEG-180	180
TEG-200	200
TEG-220	220
TEG-250	250
TEG-280	280
TEG-300	300
TEG-320	320
TEG-350	350
TEG-380	380
TEG-400	400

CPA




Model	Ø mm
CPA-100	100
CPA-120	120
CPA-150	150
CPA-180	180
CPA-200	200
CPA-220	220
CPA-250	250
CPA-280	280
CPA-300	300
CPA-320	320
CPA-350	350
CPA-380	380
CPA-400	400

CA-CL




Model	Ø mm
CA-CL100	100
CA-CL120	120
CA-CL150	150
CA-CL180	180
CA-CL200	200
CA-CL220	220
CA-CL250	250
CA-CL280	280
CA-CL300	300
CA-CL320	320
CA-CL350	350
CA-CL400	380
CP-400	400

ST-CL




Model	Ø mm
ST-CL100	100
ST-CL120	120
ST-CL150	150
ST-CL180	180
ST-CL200	200
ST-CL220	220
ST-CL250	250
ST-CL280	280
ST-CL300	300
ST-CL320	320
ST-CL350	350
ST-CL380	380
ST-CL400	400

ST-CL-L




Model	Ø mm
ST-CL100-L	100
ST-CL120-L	120
ST-CL150-L	150
ST-CL180-L	180
ST-CL200-L	200
ST-CL220-L	220
ST-CL250-L	250
ST-CL280-L	280
ST-CL300-L	300
ST-CL320-L	320
ST-CL350-L	350
ST-CL380-L	380
ST-CL400-L	400

ALLUFLEX



Model	Ø mm	L. m
ALLUFLEX-100	100	3
ALLUFLEX-120	120	3
ALLUFLEX-150	150	3
ALLUFLEX-160	160	3
ALLUFLEX-180	180	3
ALLUFLEX-200	200	3

AL-T



Model	Ø mm
AL-T150	150
AL-T180	180
AL-T200	200