



DRW


DRW	A (mm)	B (mm)	C (mm)	ØD (mm)	ØE (mm)	F (mm)	G (mm)	H (mm)	I (mm)	J (mm)	K (mm)	L (mm)	ØS (mm)	ØT (mm)	Øin (mm)	Øout (mm)	Peso (kg)	Pot.* (W)
75/7.5	1020	540	650	540	350	850	650	380	1020	300	250	290	526	88	75	120	34	250
75/10	1020	540	650	540	350	850	650	380	1020	300	250	290	526	88	75	120	37	250
75/13	1020	540	650	540	350	850	650	380	1020	300	250	290	526	88	75	120	39	250
100/7.5	1020	582	671	540	350	850	650	380	1020	300	250	290	582	116	100	120	36	250
100/10	1020	582	671	540	350	850	650	380	1020	300	250	290	582	116	100	120	39	250
100/13	1140	682	821	650	450	960	805	480	1130	300	250	330	682	116	100	150	56	250
125/7.5	900	732	846	650	450	720	805	480	890	300	250	250	732	141	125	150	49	250
125/10	900	732	846	650	450	720	805	480	890	300	250	250	732	141	125	150	52	250
125/13	1140	732	846	650	450	960	805	480	1130	300	250	330	732	141	125	150	61	250
125/15	1380	732	846	650	450	1200	805	480	1370	300	250	410	732	141	125	150	68	250
125/17	1380	732	846	650	450	1200	805	480	1370	300	250	410	732	141	125	150	71	250
125/20	1680	732	846	650	450	1500	805	480	1670	300	250	510	732	141	125	150	81	250
150/7.5	1140	782	871	650	450	960	805	480	1130	300	250	330	782	166	150	150	56	250
150/10	1140	782	871	650	450	960	805	480	1130	300	250	330	782	166	150	150	60	250
150/13	1380	782	871	650	450	1200	805	480	1370	300	250	410	782	166	150	150	69	250
150/15	1380	782	871	650	450	1200	805	480	1370	300	250	410	782	166	150	150	72	250
150/17	1680	782	871	650	450	1500	805	480	1670	300	250	510	782	166	150	150	82	250

ARROTOLATORI AUTOMATICI

DIMENSIONS


DRWA




DRWA	A (mm)	B (mm)	C (mm)	ØD (mm)	ØE (mm)	F (mm)	G (mm)	H (mm)	I (mm)	J (mm)	K (mm)	L (mm)	P (mm)	Q (mm)	R (mm)	ØS (mm)	ØT (mm)	Øin (mm)	Øout (mm)	Peso (kg)	Pot.* (W)
75/7.5	1385	550	650	540	350	850	650	380	1020	300	250	290	95	480	280	526	88	75	150	47	0,62
75/10	1385	550	650	540	350	850	650	380	1020	300	250	290	95	480	280	526	88	75	150	50	0,62
75/13	1385	550	650	540	350	850	650	380	1020	300	250	290	95	480	280	526	88	75	150	52	0,62
100/7.5	1385	582	671	540	350	850	650	380	1020	300	250	290	95	480	280	582	116	100	150	49	0,62
100/10	1385	582	671	540	350	850	650	380	1020	300	250	290	95	480	280	582	116	100	150	52	0,62
100/13	1495	682	821	650	450	960	805	480	1130	300	250	330	95	580	280	682	116	100	150	69	0,62
125/7.5	1310	732	846	650	450	720	805	480	890	300	250	250	105	640	290	732	141	125	180	68	1,0
125/10	1310	732	846	650	450	720	805	480	890	300	250	250	105	640	290	732	141	125	180	71	1,0
125/13	1550	732	846	650	450	960	805	480	1130	300	250	330	105	640	290	732	141	125	180	80	1,0
125/15	1790	732	846	650	450	1200	805	480	1370	300	250	410	105	640	290	732	141	125	180	90	1,35
125/17	1790	732	846	650	450	1200	805	480	1370	300	250	410	105	640	290	732	141	125	180	93	1,35
125/20	2090	732	846	650	450	1500	805	480	1670	300	250	510	105	640	290	732	141	125	180	103	1,35
150/7.5	1550	782	871	650	450	960	805	480	1130	300	250	330	105	640	290	782	166	150	180	75	1,0
150/10	1550	782	871	650	450	960	805	480	1130	300	250	330	105	640	290	782	166	150	180	79	1,0
150/13	1790	782	871	650	450	1200	805	480	1370	300	250	410	105	640	290	782	166	150	180	91	1,35
150/15	1790	782	871	650	450	1200	805	480	1370	300	250	410	105	640	290	782	166	150	180	94	1,35
150/17	2090	782	871	650	450	1500	805	480	1670	300	250	510	105	640	290	782	166	150	180	104	1,35

ARROTOLATORI AUTOMATICI

DIMENSIONS



DRWT



DRWTA

DRWT	A (mm)	B (mm)	C (mm)	ØD (mm)	ØE (mm)	F (mm)	G (mm)	H (mm)	I (mm)	J (mm)	K (mm)	L (mm)	ØS (mm)	ØT (mm)	Øin (mm)	Øout (mm)	Peso (kg)	Pot.* (W)
75/7.5	1110	540	650	540	350	850	650	380	1020	300	250	290	526	88	75	120	35	250
75/10	1110	540	650	540	350	850	650	380	1020	300	250	290	526	88	75	120	38	250
75/13	1110	540	650	540	350	850	650	380	1020	300	250	290	526	88	75	120	40	250
100/7.5	1110	582	671	540	350	850	650	380	1020	300	250	290	582	116	100	120	37	250
100/10	1110	582	671	540	350	850	650	380	1020	300	250	290	582	116	100	120	40	250
100/13	1230	682	821	650	450	960	805	480	1130	300	250	330	682	116	100	150	57	250
125/7.5	990	732	846	650	450	720	805	480	890	300	250	250	732	141	125	150	50	250
125/10	990	732	846	650	450	720	805	480	890	300	250	250	732	141	125	150	53	250
125/13	1230	732	846	650	450	960	805	480	1130	300	250	330	732	141	125	150	62	250
125/15	1470	732	846	650	450	1200	805	480	1370	300	250	410	732	141	125	150	69	250
125/17	1470	732	846	650	450	1200	805	480	1370	300	250	410	732	141	125	150	72	250
125/20	1770	732	846	650	450	1500	805	480	1670	300	250	510	732	141	125	150	82	250
150/7.5	1230	782	871	650	450	960	805	480	1130	300	250	330	782	166	150	150	57	250
150/10	1230	782	871	650	450	960	805	480	1130	300	250	330	782	166	150	150	61	250
150/13	1470	782	871	650	450	1200	805	480	1370	300	250	410	782	166	150	150	70	250
150/15	1470	782	871	650	450	1200	805	480	1370	300	250	410	782	166	150	150	73	250
150/17	1770	782	871	650	450	1500	805	480	1670	300	250	510	782	166	150	150	83	250

DRWTA	A (mm)	B (mm)	C (mm)	ØD (mm)	ØE (mm)	F (mm)	G (mm)	H (mm)	I (mm)	J (mm)	K (mm)	L (mm)	P (mm)	Q (mm)	R (mm)	ØS (mm)	ØT (mm)	Øin (mm)	Øout (mm)	Peso (kg)	Pot.* (W)
75/7.5	1475	550	650	540	350	850	650	380	1020	300	250	290	95	480	280	526	88	75	150	48	0,62
75/10	1475	550	650	540	350	850	650	380	1020	300	250	290	95	480	280	526	88	75	150	51	0,62
75/13	1475	550	650	540	350	850	650	380	1020	300	250	290	95	480	280	526	88	75	150	53	0,62
100/7.5	1475	582	671	540	350	850	650	380	1020	300	250	290	95	480	280	582	116	100	150	50	0,62
100/10	1475	582	671	540	350	850	650	380	1020	300	250	290	95	480	280	582	116	100	150	53	0,62
100/13	1585	682	821	650	450	960	805	480	1130	300	250	330	95	580	280	682	116	100	150	70	0,62
125/7.5	1400	732	846	650	450	720	805	480	890	300	250	250	105	640	290	732	141	125	180	69	1,0
125/10	1400	732	846	650	450	720	805	480	890	300	250	250	105	640	290	732	141	125	180	72	1,0
125/13	1640	732	846	650	450	960	805	480	1130	300	250	330	105	640	290	732	141	125	180	81	1,0
125/15	1880	732	846	650	450	1200	805	480	1370	300	250	410	105	640	290	732	141	125	180	91	1,35
125/17	1880	732	846	650	450	1200	805	480	1370	300	250	410	105	640	290	732	141	125	180	94	1,35
125/20	2180	732	846	650	450	1500	805	480	1670	300	250	510	105	640	290	732	141	125	180	104	1,35
150/7.5	1640	782	871	650	450	960	805	480	1130	300	250	330	105	640	290	782	166	150	180	76	1,0
150/10	1640	782	871	650	450	960	805	480	1130	300	250	330	105	640	290	782	166	150	180	80	1,0
150/13	1880	782	871	650	450	1200	805	480	1370	300	250	410	105	640	290	782	166	150	180	92	1,35
150/15	1880	782	871	650	450	1200	805	480	1370	300	250	410	105	640	290	782	166	150	180	95	1,35
150/17	2180	782	871	650	450	1500	805	480	1670	300	250	510	105	640	290	782	166	150	180	105	1,35